



## Husqvarna LC 140SP

LC 140SP is a self-propelled and easy to use mower, suitable for somewhat smaller lawns. Built with robust steel cutting deck and a reliable and easy-start Husqvarna engine it offers great cutting and collection performance. Soft-grip handle, foldable handlebar, central cutting height adjustment and ball-bearing wheels will give you both an ergonomic and comfortable cutting experience.



### Central cutting height adjustment

Quick and easy adjustment of the grass cutting height. One lever controls the whole deck.



### Easy grip for lifting in the front

Easy grip for lifting into storage, the car or carrying up stairs.

### Ergonomic handle

Ergonomic angle of the handle in combination with easy to reach bail arms makes operation easy.



### Foldable handle

For simplified storage and transport.



## FEATURES

- Ergonomic handle
- Easy grip for lifting in the front
- Central cutting height adjustment
- Foldable handle

Technical Specifications	
<b>BATTERY</b>	
Battery capacity	0 Ah
Battery type	--
<b>CAPACITY</b>	
Net power at preset rpm	3000 rpm
Power output	1.95 kW
Power rating	1950 W
<b>DIMENSIONS</b>	
Article gross weight	33000 g
Article net weight	29100 g
Collector volume	50 l
Cutting width	40 cm
Cylinder displacement	123 cm <sup>3</sup>
Handle height adjustment	2 Step
Weight	26.8 kg
Wheel size, Front	152 mm
Wheel size, Rear	203 mm
Wheelbase	55.5 cm
<b>ENGINE</b>	
Cylinder displacement	123 cm <sup>3</sup>
Electrode gap	0.75 mm
Engine brand	Husqvarna
Engine cooling	Air
Engine name	HS 123A
Fuel tank volume	0.9 l
Spark plug	Husqvarna HQT-7
<b>EQUIPMENT</b>	
Air filter type	Foam
Ball beared wheels	Yes
BioClip® kit	Not available as accessory (NOT AVAILABLE)
BioClip® plug	Not included
Blade brake clutch (BBC)	No
Blade type	Collect
Collector	Included
Collector type	Fabric with dust blocker
Collector volume	50 l
Deck Wash Port	No
Deflector	No
Drive control	Bail arm
Drive system	Self-propelled, single speed
Drive wheels	Rear
Foldable handle	Yes
Handle type	Ergonomic
Lawnmower drive type	Self-propelled
Side adjustable handle	No
Soft grip	Yes
Throttle control	No
Water hose connection	No
Wheel bearing, front/rear	Yes/Yes
Connectivity	Not applicable
<b>LUBRICANTS</b>	
Engine lubrication type	Splash
Fuel consumption	402 g/kWh
Fuel consumption	0.019 l/min
Power/fuel type	Petrol
<b>MATERIAL</b>	
Cutting deck material	Steel
Master pack: Paper + Cardboard	0 g
Metal total	10 g
Paper + Cardboard total	3640 g
PE total	21 g
PET total	0 g
Plastic foil	15 g
Plastic rigid	6 g
Plastic total	21 g
PS/EPS/HIPS total	0 g
Rims, material	Plastic
<b>PACKAGING</b>	
Packaging height	480 mm
Packaging length	775 mm
Packaging volume	190 dm <sup>3</sup>
Packaging width	510 mm

**Technical Specifications**

Quantity in Master pack	1
<b>SOUND AND NOISE</b>	
Sound power level, guaranteed (LWA)	95 dB(A)
Sound power level, measured	93 dB(A)
Sound pressure level at operators ear	81 dB(A)
<b>VIBRATION</b>	
Vibrations handlebar	7.6 m/s <sup>2</sup>