



Husqvarna LC 151S

Husqvarna LC 151 is an easy-to-use self-propelled lawnmower with collection, BioClip® (mulch) and side discharge option, perfectly suited for medium to large sized lawns. The robust 51 cm steel cutting deck and the reliable and easy-start Husqvarna engine are built to tackle difficult mowing with great cutting results, while the ergonomically handle bar with soft grip offers a less-straining mowing experience. Easy foldable handlebar, convenient bail design and easy-adjust cutting height make every mow simpler. Collect blade leaves less clippings on the lawn for a tidy, professional look. Husqvarna LC 151 is an easy-to-use self-propelled lawnmower with collection, BioClip® (mulch) and side discharge option, perfectly suited for medium to large sized lawns. The robust 51 cm steel cutting deck and the reliable and easy-start Husqvarna engine are built to tackle difficult mowing with great cutting results, while the ergonomically handle bar with soft grip offers a less-straining mowing experience. Easy foldable handlebar, convenient bail design and easy-adjust cutting height make every mow simpler. Collect blade leaves less clippings on the lawn for a tidy, professional look.



Easy adjustable handle

Quick and easy adjustment of the handle in two different heights.



Ergonomic handle

Ergonomic angle of the handle in combination with easy to reach bail arms makes operation easy.

3-in-1 cutting system

This lawnmower offers versatility through several cutting options. Choose the cutting mode you require to achieve optimal results: collection for a tidy lawn. BioClip® (mulching) for lawn fertilization and side discharge for less frequently cut areas.



Easy grip for lifting in the front

Easy grip for lifting into storage, the car or carrying up stairs.



FEATURES

- Collection, BioClip® and side discharge
- Ergonomic handle
- Easy adjustable handle
- Easy grip for lifting in the front
- Central cutting height adjustment
- Easily foldable handle bar to facilitate transport and storage

Technical Specifications	
BATTERY	
Battery capacity	0 Ah
Battery type	--
CAPACITY	
Net power at preset rpm	2800 rpm
Power output	2.7 kW
Power rating	2700 W
DIMENSIONS	
Article gross weight	38700 g
Article net weight	34800 g
Collector volume	65 l
Cutting width	51 cm
Cylinder displacement	166 cm ³
Handle height adjustment	2 Step
Weight	32.3 kg
Wheel size, Front	203 mm
Wheel size, Rear	203 mm
Wheelbase	66 cm
ENGINE	
Cylinder displacement	166 cm ³
Electrode gap	0.75 mm
Engine brand	Husqvarna
Engine cooling	Air
Engine name	HS 166A
Fuel tank volume	1 l
Spark plug	Husqvarna HQT-7
EQUIPMENT	
Air filter type	Paper
Ball beared wheels	Yes
BioClip® kit	Available as accessory
BioClip® plug	Not included
Blade brake clutch (BBC)	No
Blade type	Collect
Collector	Included
Collector type	Fabric with dust blocker
Collector volume	65 l
Deck Wash Port	No
Deflector	Included
Drive control	Bail arm
Drive system	Self-propelled
Drive wheels	Rear
Foldable handle	Yes
Handle type	Ergonomic Handle (Bag Through)
Lawnmower drive type	Self-propelled
Side adjustable handle	No
Soft grip	Yes
Throttle control	No
Water hose connection	No
Wheel bearing, front/rear	Yes/Yes
Connectivity	Not applicable
LUBRICANTS	
Engine lubrication type	Splash
Fuel consumption	407 g/kWh
Fuel consumption	0.0233 l/min
Oil filter	Yes
Power/fuel type	Petrol
MATERIAL	
Cutting deck material	Steel
Master pack: Paper + Cardboard	0 g
Metal total	10 g
Paper + Cardboard total	3950 g
PE total	20 g
PET total	0 g
Plastic foil	31 g
Plastic rigid	0 g
Plastic total	31 g
PS/EPS/HIPS total	0 g
Rims, material	Plastic
PACKAGING	
Packaging height	450 mm

Technical Specifications

Packaging length	1040 mm
Packaging volume	267 dm ³
Packaging width	570 mm
Quantity in Master pack	1

SOUND AND NOISE

Sound power level, guaranteed (LWA)	98 dB(A)
Sound power level, measured	96 dB(A)
Sound pressure level at operators ear	86 dB(A)

VIBRATION

Vibrations handlebar	8.5 m/s ²
----------------------	----------------------