



HUSQVARNA LC 247S

Powerful, self-propelled petrol lawn mower. Creating a tidy, well-cut lawn is a true pleasure with this self-propelled collecting lawn mower. Husqvarna LC 247S is comfortable to use, powered by a Husqvarna engine equipped with Auto-choke start and a lightweight 47 cm composite cutting deck. It also features easy-adjust cutting height, intuitive controls and easy foldable handle for convenient operation and storage.



Easy grip for lifting in the front

Easy grip for lifting into storage, the car or carrying up stairs.



Easy adjustable handle

Quick and easy adjustment of the handle in two different heights.

Ergonomic handle

Ergonomic angle of the handle in combination with easy to reach bail arms makes operation easy.



Easy central cutting height adjustment

A well balanced one hand grip makes adjustment of cutting height extra easy and convenient.



FEATURES

- Ergonomic handle
- Easy adjustable handle
- Easy grip for lifting in the front
- Easy central cutting height adjustment
- Easily foldable handle bar to facilitate transport and storage

| Technical Specifications | |
|--------------------------------|------------------------------|
| BATTERY | |
| Battery capacity | 0 Ah |
| Battery type | -- |
| CAPACITY | |
| Net power at preset rpm | 2900 rpm |
| Power output | 2.2 kW |
| DIMENSIONS | |
| Article gross weight | 35500 g |
| Article net weight | 31500 g |
| Collector volume | 55 l |
| Cutting width | 47 cm |
| Cylinder displacement | 139 cm ³ |
| Handle height adjustment | 2 Step |
| Weight | 29.5 kg |
| Wheel size, Front | 170 mm |
| Wheel size, Rear | 210 mm |
| Wheelbase | 67 cm |
| ENGINE | |
| Cylinder displacement | 139 cm ³ |
| Electrode gap | 0.75 mm |
| Engine brand | Husqvarna |
| Engine cooling | Air |
| Engine name | HS 139A |
| Fuel tank volume | 0.9 l |
| Spark plug | Husqvarna HQT-7 |
| EQUIPMENT | |
| Air filter type | Paper |
| BioClip® kit | Available as accessory |
| BioClip® plug | Not included |
| Blade brake clutch (BBC) | No |
| Blade type | Collect |
| Collector | Included |
| Collector type | Fabric with dust blocker |
| Collector volume | 55 l |
| Deflector | No |
| Drive control | Underbail |
| Drive system | Self-propelled, single speed |
| Drive wheels | Rear |
| Foldable handle | Yes |
| Handle type | Ergonomic |
| Lawnmower drive type | Self-propelled |
| Side adjustable handle | No |
| Soft grip | Yes |
| Throttle control | No |
| Water hose connection | No |
| Wheel bearing, front/rear | Yes/Yes |
| LUBRICANTS | |
| Engine lubrication type | Splash |
| Fuel consumption | 402 g/kWh |
| Fuel consumption | 0.02 l/min |
| Oil filter | Yes |
| Power/fuel type | Petrol |
| MATERIAL | |
| Bail-arm material | Metal |
| Cutting deck material | Composite |
| Master pack: Paper + Cardboard | 0 g |
| Metal total | 0 g |
| Paper | 120 g |
| Paper + Cardboard total | 4247 g |
| PE total | 8 g |
| PET total | 0 g |
| Plastic foil | 8 g |
| Plastic rigid | 0 g |
| Plastic total | 8 g |
| PS/EPS/HIPS total | 0 g |
| Rims, material | Plastic |
| PACKAGING | |
| Packaging height | 444 mm |
| Packaging length | 1132 mm |
| Packaging width | 537 mm |

Technical Specifications

| | |
|---------------------------------------|----------------------|
| Quantity in Master pack | 1 |
| SOUND AND NOISE | |
| Sound power level, guaranteed (LWA) | 96 dB(A) |
| Sound power level, measured | 95 dB(A) |
| Sound pressure level at operators ear | 84 dB(A) |
| VIBRATION | |
| Vibrations handlebar | 2.7 m/s ² |